

22511

PATENT TRADEMARK OFFICE

Docket No.: 15115/244001
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Tomohiko Matsushita et al.

Confirmation No.: 9466

Application No.: 10/594,698

Art Unit: N/A

Filed: September 28, 2006

Examiner: Not Yet Assigned

For: LOCAL PLASMON RESONANCE SENSOR
AND EXAMINATION INSTRUMENT

**RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS UNDER 35 U.S.C. 371 IN
THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)**

MS: MISSING PARTS
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Dear Sir:

In response to the Notification of Missing Requirements – Filing Date Granted mailed May 25, 2007, Applicant respectfully submits a signed Declaration, a Preliminary Amendment, and a copy of the notification.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith to our Deposit Account No. 50-0591, under Order No. 15115/244001.

Dated: July 18, 2007

Respectfully submitted,

By: 

Thomas K. Scherer
Registration No.: 45,079
OSHA · LIANG LLP
1221 McKinney St., Suite 2800
Houston, Texas 77010
(713) 228-8600
(713) 228-8778 (Fax)